UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/904,616	07/13/2001	Wojciech K. Slusarek	81080ACPK	2990
7590 02/06/2008 Sarah Meeks Roberts			EXAMINER	
Patent Legal Staff Eastman Kodak Company 343 State Street			BARTS, SAMUEL A	
			ART UNIT	PAPER NUMBER
Rochester, NY	Rochester, NY 14650-2201			
	•			
			MAIL DATE	DELIVERY MODE
		·	02/06/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
•	09/904,616	SLUSAREK ET AL.				
[°] Office Action Summary	Examiner	Art Unit				
	Samuel A. Barts	1621				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet w	ith the correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNI 36(a). In no event, however, may a rill apply and will expire SIX (6) MON cause the application to become Al	CATION. reply be timely filed ITHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 20 No.	Responsive to communication(s) filed on <u>20 November 2007</u> .					
·	· · · · · · · · · · · · · · · · · · ·					
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
closed in accordance with the practice under E	х рапе Quayle, 1935 С.L	D. 11, 453 O.G. 213.				
Disposition of Claims	•					
4)	vn from consideration.					
Application Papers						
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the conference of the	epted or b) objected to drawing(s) be held in abeyar ion is required if the drawing	nce. See 37 CFR 1.85(a). (s) is objected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119		•				
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in A ity documents have been ı (PCT Rule 17.2(a)).	Application No received in this National Stage				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(Summary (PTO-413) s)/Mail Date				
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	5)	nformal Patent Application 				

Application/Control Number:

09/904,616 Art Unit: 1621

Page 2

DETAILED ACTION

1. Applicant's arguments filed 11/20/2007 with respect to the rejection(s) of claim(s) 33-38 have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Slusarek et al (US 6,319,640).

Allowable Subject Matter

2. The indicated allowability of claims 35-38 is withdrawn in view of the newly discovered reference(s) to Slusarek et al (US 6,319,640. Rejections based on the newly cited reference(s) follow.

Double Patenting

3. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Application/Control Number:

09/904,616 Art Unit: 1621

4. Claims 33-38 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 13-18 of U.S. Patent No. 6,319,640. Although the conflicting claims are not identical, they are not patentably distinct from each other because the claims are substantially drawn to the same invention. Both set of claims are drawn to imaging elements comprising substantially the same compounds.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Samuel A. Barts whose telephone number is 571-272-2870. The examiner can normally be reached on 6:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Yvonne Eyler can be reached on 571-272-0871. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 09/904,616

Art Unit: 1621

Page 4

/Samuel A Barts/ Primary Examiner Art Unit 1621

SB